

ARRONE[®] Mortice Lock Cases

Cylinder Mortice Sashlock Cases

standards and certification



Quality & Performance: Successfully type tested to all the requirements of BS EN12209: 2003

2	H	8	1	0	F	2	B	A	2	0
---	---	---	---	---	---	---	---	---	---	---



Manufactured by an ISO 9000 Registered Company



Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door





CE Marked: Declaration of conformity available on request

features

- Suitable for sprung and most unsprung door furniture
- Brass guided latchbolt (12mm projection)
- Easily reversed latchbolt without opening case
- Heavy duty brass deadbolt with hardened steel rollers (14mm projection)
- Suitable for bolt through furniture at 38mm centres
- 8mm heavy duty follower
- Suitable for a variety of bolt through armoured escutcheons
- 44/57mm backsets
- Polished brass or satin chrome finish forend and striking plate
- Polished stainless steel forend and striking plate available on request

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109110	AR8004-63-PB	63mm Euro Profile Sashlock Case	PB
87109111	AR8004-63-SC	63mm Euro Profile Sashlock Case	SC
87109112	AR8004-76-PB	76mm Euro Profile Sashlock Case	PB
87109113	AR8004-76-SC	76mm Euro Profile Sashlock Case	SC
87109114	AR8003-63-PB	63mm Oval Profile Sashlock Case	PB
87109115	AR8003-63-SC	63mm Oval Profile Sashlock Case	SC
87109116	AR8003-76-PB	76mm Oval Profile Sashlock Case	PB
87109117	AR8003-76-SC	76mm Oval Profile Sashlock Case	SC
8542896	AR729-13-PB	13mm Rebate Set	PB
8542903	AR729-13-SC	13mm Rebate Set	SC
8542910	AR729-25-PB	25mm Rebate Set	PB
8542917	AR729-25-SC	25mm Rebate Set	SC



ARRONE® Architectural Plus Locks & Latches

ARRONE® Mortice Lock Cases

Cylinder Mortice Deadlock Cases

standards and certification



Quality & Performance: Successfully type tested to all the requirements of BS EN12209: 2003

2	H	8	1	0	F	2	B	A	0	0
---	---	---	---	---	---	---	---	---	---	---



Manufactured by an ISO 9000 Registered Company





Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door



CE Marked: Declaration of conformity available on request

features

- Heavy duty brass deadbolt with hardened steel rollers (14mm projection)
- 44/57mm backsets
- Polished brass or satin chrome finish forend and striking plate
- Polished stainless steel forend and striking plate available on request



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109118	AR8006-63-PB	63mm Euro Profile Deadlock Case	PB
87109119	AR8006-63-SC	63mm Euro Profile Deadlock Case	SC
87109120	AR8006-76-PB	76mm Euro Profile Deadlock Case	PB
87109121	AR8006-76-SC	76mm Euro Profile Deadlock Case	SC
87109122	AR8005-63-PB	63mm Oval Profile Deadlock Case	PB
87109123	AR8005-63-SC	63mm Oval Profile Deadlock Case	SC
87109124	AR8005-76-PB	76mm Oval Profile Deadlock Case	PB
87109125	AR8005-76-SC	76mm Oval Profile Deadlock Case	SC
8542924	AR730-13-PB	13mm Rebate Set	PB
8542980	AR730-13-SC	13mm Rebate Set	SC
8542931	AR730-25-PB	25mm Rebate Set	PB
8542938	AR730-25-SC	25mm Rebate Set	SC

ARRONE[®] Mortice Lock Cases

Bathroom Locks (5mm or 8mm Follower)

standards and certification



Quality & Performance: Successfully type tested to all the requirements of BS EN12209: 2003

2	H	8	1	0	F	-	B	0	2	0
---	---	---	---	---	---	---	---	---	---	---



Manufactured by an ISO 9000 Registered Company




Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door



CE Marked: Declaration of conformity available on request

features

- Suitable for sprung and most unsprung door furniture
- Brass guided latchbolt (12mm projection)
- Easily reversed latchbolt without opening case
- Solid brass heavy duty deadbolt (14mm projection)
- Suitable for bolt through fixed lever furniture at 38mm centres
- 5mm or 8mm turn follower
- 44/57mm backsets
- Polished brass or satin chrome finish forend and striking plate
- Polished stainless steel forend and striking plate available on request



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109126	AR8023-63-5-PB	63mm Bathroom Sashlock 5mm Follower	PB
87109127	AR8023-63-5-SC	63mm Bathroom Sashlock 5mm Follower	SC
87109128	AR8023-76-5-PB	76mm Bathroom Sashlock 5mm Follower	PB
87109129	AR8023-76-5-SC	76mm Bathroom Sashlock 5mm Follower	SC
87109132	AR8023-63-8-PB	63mm Bathroom Sashlock 8mm Follower	PB
87109133	AR8023-63-8-SC	63mm Bathroom Sashlock 8mm Follower	SC
87109130	AR8023-76-8-PB	76mm Bathroom Sashlock 8mm Follower	PB
87109131	AR8023-76-8-SC	76mm Bathroom Sashlock 8mm Follower	SC

ARRONE® Architectural Plus Locks & Latches

ARRONE® Mortice Lock Cases

Cylinder Mortice Deadlock Cases

standards and certification



Quality & Performance: Successfully type tested to all the requirements of BS EN12209: 2003

2	H	8	1	0	F	2	B	A	0	0
---	---	---	---	---	---	---	---	---	---	---



Manufactured by an ISO 9000 Registered Company





Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door



CE Marked: Declaration of conformity available on request

features

- Heavy duty brass deadbolt with hardened steel rollers (14mm projection)
- 44/57mm backsets
- Polished brass or satin chrome finish forend and striking plate
- Polished stainless steel forend and striking plate available on request



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109118	AR8006-63-PB	63mm Euro Profile Deadlock Case	PB
87109119	AR8006-63-SC	63mm Euro Profile Deadlock Case	SC
87109120	AR8006-76-PB	76mm Euro Profile Deadlock Case	PB
87109121	AR8006-76-SC	76mm Euro Profile Deadlock Case	SC
87109122	AR8005-63-PB	63mm Oval Profile Deadlock Case	PB
87109123	AR8005-63-SC	63mm Oval Profile Deadlock Case	SC
87109124	AR8005-76-PB	76mm Oval Profile Deadlock Case	PB
87109125	AR8005-76-SC	76mm Oval Profile Deadlock Case	SC
8542924	AR730-13-PB	13mm Rebate Set	PB
8542980	AR730-13-SC	13mm Rebate Set	SC
8542931	AR730-25-PB	25mm Rebate Set	PB
8542938	AR730-25-SC	25mm Rebate Set	SC

ARRONE[®] Mortice Lock Cases

Bathroom Locks (5mm or 8mm Follower)

standards and certification



Quality & Performance: Successfully type tested to all the requirements of BS EN12209: 2003

2	H	8	1	0	F	-	B	0	2	0
---	---	---	---	---	---	---	---	---	---	---



Manufactured by an ISO 9000 Registered Company




Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door



CE Marked: Declaration of conformity available on request

features


- Suitable for sprung and most unsprung door furniture
- Brass guided latchbolt (12mm projection)
- Easily reversed latchbolt without opening case
- Solid brass heavy duty deadbolt (14mm projection)
- Suitable for bolt through fixed lever furniture at 38mm centres
- 5mm or 8mm turn follower
- 44/57mm backsets
- Polished brass or satin chrome finish forend and striking plate
- Polished stainless steel forend and striking plate available on request



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109126	AR8023-63-5-PB	63mm Bathroom Sashlock 5mm Follower	PB
87109127	AR8023-63-5-SC	63mm Bathroom Sashlock 5mm Follower	SC
87109128	AR8023-76-5-PB	76mm Bathroom Sashlock 5mm Follower	PB
87109129	AR8023-76-5-SC	76mm Bathroom Sashlock 5mm Follower	SC
87109132	AR8023-63-8-PB	63mm Bathroom Sashlock 8mm Follower	PB
87109133	AR8023-63-8-SC	63mm Bathroom Sashlock 8mm Follower	SC
87109130	AR8023-76-8-PB	76mm Bathroom Sashlock 8mm Follower	PB
87109131	AR8023-76-8-SC	76mm Bathroom Sashlock 8mm Follower	SC

ARRONE® Architectural Plus Locks & Latches

ARRONE® Mortice Lock Cases



Bathroom Deadbolts (Square Case)

standards and certification



Manufactured by an ISO 9000 Registered Company



Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door




CE Marked: At the time of going to press this product was undergoing third party independent testing to BS EN12209: 2003, Once this standard is successfully achieved CE certification will be applied for.

features

- For use with Bathroom Indicators & Turns with 5mm spindle
- Brass deadbolt
- 44.5/57/82mm backsets
- Polished brass or stain chrome finish forend and striking plate

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109138	AR8031-63-PB	63mm Square Case Bathroom Deadbolt	PB
87109139	AR8031-63-SC	63mm Square Case Bathroom Deadbolt	SC
87109140	AR8031-76-PB	76mm Square Case Bathroom Deadbolt	PB
87109141	AR8031-76-SC	76mm Square Case Bathroom Deadbolt	SC
87109142	AR8031-100-PB	100mm Square Case Bathroom Deadbolt	PB
87109143	AR8031-100-SC	100mm Square Case Bathroom Deadbolt	SC



Bathroom Deadbolts (Tubular)

standards and certification



Manufactured by an ISO 9000 Registered Company



Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 30 min & 1 hour fire door



CE Marked: At the time of going to press this product was undergoing third party independent testing to BS EN12209: 2003, Once this standard is successfully achieved CE certification will be applied for.

features

- For use with Bathroom Indicators & Turns with 5mm spindle
- Brass Deadbolt
- 57/82/107mm backsets
- Satin chrome and polished brass finish forends and striking plates supplied with each deadbolt

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87101338	AR8018-76-SC/PB	76mm Heavy Duty Bathroom Deadbolt	SC/PB
87101341	AR8018-100-SC/PB	100mm Heavy Duty Bathroom Deadbolt	SC/PB
87101344	AR8018-128-SC/PB	128mm Heavy Duty Bathroom Deadbolt	SC/PB

ARRONE[®] DIN Standard Architectural Mortice Lock Cases

Euro Profile Mortice Sashlock Cases

standards and certification



Quality & Performance: Successfully type tested to all the requirements of BS EN12209: 2003

3	M	8	1*	0	F	2	B	A	2	0
---	---	---	----	---	---	---	---	---	---	---



Manufactured In Europe by an ISO 9000 Registered Company



Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door



CE Marked: Certificate: 1121-CPD-AG0067




Certifire Approved Product: Certificate CF530



Conformity Statement: Meets the dimensional recommendations of BS8300 and Approved Document "M"

features

- Case – mild steel/black powder coated finish, pierced to accept bolt through furniture and escutcheons with 38mm centres
- Backset – 60mm (other sizes to order)
- Centres – 72mm
- Latchbolt – nickel plated solid brass guided latchbolt, easily reversible without opening case
- Follower – 8mm zinc alloy follower (high copper content for additional strength) with spindle gripping feature
- Deadbolt – zinc alloy single throw with 20mm projection (high copper content for additional strength)
- Forend and striking plates available square or radius
- Suitable for sprung and most unsprung lever furniture
- Satin/polished stainless steel or polished brass forend and striking plate
- 5 year guarantee




ID NO	PRODUCT REF	DESCRIPTION	FINISH
87107853	AR910-S-60-SSS	Mortice Sashlock Case (Square Forend)	SSS
87107854	AR910-S-60-PSS	Mortice Sashlock Case (Square Forend)	PSS
87107855	AR910-S-60-PB	Mortice Sashlock Case (Square Forend)	PB
87107856	AR910-R-60-SSS	Mortice Sashlock Case (Radiused Forend)	SSS
87107857	AR910-R-60-PSS	Mortice Sashlock Case (Radiused Forend)	PSS
87107858	AR910-R-60-PB	Mortice Sashlock Case (Radiused Forend)	PB
87107889	AR91-S-13-SSS	13mm Rebate Set for Square Forend Locks	SSS
87108045	AR91-S-13-PB	13mm Rebate Set for Square Forend Locks	PB

ARRONE[®] Mortice Lock Cases


Cylinder Mortice Sashlock Cases

standards and certification

 **Quality & Performance:** Successfully type tested to all the requirements of BS EN12209: 2003

2	H	8	1	0	F	2	B	A	2	0
---	---	---	---	---	---	---	---	---	---	---



 Manufactured by an ISO 9000 Registered Company

 **Fire Safety:** Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door

 **CE Marked:** Declaration of conformity available on request

features

- Suitable for sprung and most unsprung door furniture
- Brass guided latchbolt (12mm projection)
- Easily reversed latchbolt without opening case
- Heavy duty brass deadbolt with hardened steel rollers (14mm projection)
- Suitable for bolt through furniture at 38mm centres
- 8mm heavy duty follower
- Suitable for a variety of bolt through armoured escutcheons
- 44/57mm backsets
- Polished brass or satin chrome finish forend and striking plate
- Polished stainless steel forend and striking plate available on request



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109110	AR8004-63-PB	63mm Euro Profile Sashlock Case	PB
87109111	AR8004-63-SC	63mm Euro Profile Sashlock Case	SC
87109112	AR8004-76-PB	76mm Euro Profile Sashlock Case	PB
87109113	AR8004-76-SC	76mm Euro Profile Sashlock Case	SC
87109114	AR8003-63-PB	63mm Oval Profile Sashlock Case	PB
87109115	AR8003-63-SC	63mm Oval Profile Sashlock Case	SC
87109116	AR8003-76-PB	76mm Oval Profile Sashlock Case	PB
87109117	AR8003-76-SC	76mm Oval Profile Sashlock Case	SC
8542896	AR729-13-PB	13mm Rebate Set	PB
8542903	AR729-13-SC	13mm Rebate Set	SC
8542910	AR729-25-PB	25mm Rebate Set	PB
8542917	AR729-25-SC	25mm Rebate Set	SC

ARRONE® Architectural Plus Locks & Latches

ARRONE® Mortice Lock Cases

Cylinder Mortice Deadlock Cases

standards and certification



Quality & Performance: Successfully type tested to all the requirements of BS EN12209: 2003

2	H	8	1	0	F	2	B	A	0	0
---	---	---	---	---	---	---	---	---	---	---



Manufactured by an ISO 9000 Registered Company





Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door



CE Marked: Declaration of conformity available on request

features

- Heavy duty brass deadbolt with hardened steel rollers (14mm projection)
- 44/57mm backsets
- Polished brass or satin chrome finish forend and striking plate
- Polished stainless steel forend and striking plate available on request



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109118	AR8006-63-PB	63mm Euro Profile Deadlock Case	PB
87109119	AR8006-63-SC	63mm Euro Profile Deadlock Case	SC
87109120	AR8006-76-PB	76mm Euro Profile Deadlock Case	PB
87109121	AR8006-76-SC	76mm Euro Profile Deadlock Case	SC
87109122	AR8005-63-PB	63mm Oval Profile Deadlock Case	PB
87109123	AR8005-63-SC	63mm Oval Profile Deadlock Case	SC
87109124	AR8005-76-PB	76mm Oval Profile Deadlock Case	PB
87109125	AR8005-76-SC	76mm Oval Profile Deadlock Case	SC
8542924	AR730-13-PB	13mm Rebate Set	PB
8542980	AR730-13-SC	13mm Rebate Set	SC
8542931	AR730-25-PB	25mm Rebate Set	PB
8542938	AR730-25-SC	25mm Rebate Set	SC

ARRONE[®] Mortice Lock Cases

Bathroom Locks (5mm or 8mm Follower)

standards and certification



Quality & Performance: Successfully type tested to all the requirements of BS EN12209: 2003

2	H	8	1	0	F	-	B	0	2	0
---	---	---	---	---	---	---	---	---	---	---



Manufactured by an ISO 9000 Registered Company




Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door



CE Marked: Declaration of conformity available on request

features

- Suitable for sprung and most unsprung door furniture
- Brass guided latchbolt (12mm projection)
- Easily reversed latchbolt without opening case
- Solid brass heavy duty deadbolt (14mm projection)
- Suitable for bolt through fixed lever furniture at 38mm centres
- 5mm or 8mm turn follower
- 44/57mm backsets
- Polished brass or satin chrome finish forend and striking plate
- Polished stainless steel forend and striking plate available on request



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109126	AR8023-63-5-PB	63mm Bathroom Sashlock 5mm Follower	PB
87109127	AR8023-63-5-SC	63mm Bathroom Sashlock 5mm Follower	SC
87109128	AR8023-76-5-PB	76mm Bathroom Sashlock 5mm Follower	PB
87109129	AR8023-76-5-SC	76mm Bathroom Sashlock 5mm Follower	SC
87109132	AR8023-63-8-PB	63mm Bathroom Sashlock 8mm Follower	PB
87109133	AR8023-63-8-SC	63mm Bathroom Sashlock 8mm Follower	SC
87109130	AR8023-76-8-PB	76mm Bathroom Sashlock 8mm Follower	PB
87109131	AR8023-76-8-SC	76mm Bathroom Sashlock 8mm Follower	SC

ARRONE® Architectural Plus Locks & Latches

ARRONE® Mortice Lock Cases

Cylinder Mortice Deadlock Cases

standards and certification



Quality & Performance: Successfully type tested to all the requirements of BS EN12209: 2003

2	H	8	1	0	F	2	B	A	0	0
---	---	---	---	---	---	---	---	---	---	---



Manufactured by an ISO 9000 Registered Company





Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door



CE Marked: Declaration of conformity available on request

features

- Heavy duty brass deadbolt with hardened steel rollers (14mm projection)
- 44/57mm backsets
- Polished brass or satin chrome finish forend and striking plate
- Polished stainless steel forend and striking plate available on request



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109118	AR8006-63-PB	63mm Euro Profile Deadlock Case	PB
87109119	AR8006-63-SC	63mm Euro Profile Deadlock Case	SC
87109120	AR8006-76-PB	76mm Euro Profile Deadlock Case	PB
87109121	AR8006-76-SC	76mm Euro Profile Deadlock Case	SC
87109122	AR8005-63-PB	63mm Oval Profile Deadlock Case	PB
87109123	AR8005-63-SC	63mm Oval Profile Deadlock Case	SC
87109124	AR8005-76-PB	76mm Oval Profile Deadlock Case	PB
87109125	AR8005-76-SC	76mm Oval Profile Deadlock Case	SC
8542924	AR730-13-PB	13mm Rebate Set	PB
8542980	AR730-13-SC	13mm Rebate Set	SC
8542931	AR730-25-PB	25mm Rebate Set	PB
8542938	AR730-25-SC	25mm Rebate Set	SC

ARRONE[®] Mortice Lock Cases

Bathroom Locks (5mm or 8mm Follower)

standards and certification



Quality & Performance: Successfully type tested to all the requirements of BS EN12209: 2003

2	H	8	1	0	F	-	B	0	2	0
---	---	---	---	---	---	---	---	---	---	---



Manufactured by an ISO 9000 Registered Company




Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door



CE Marked: Declaration of conformity available on request

features


- Suitable for sprung and most unsprung door furniture
- Brass guided latchbolt (12mm projection)
- Easily reversed latchbolt without opening case
- Solid brass heavy duty deadbolt (14mm projection)
- Suitable for bolt through fixed lever furniture at 38mm centres
- 5mm or 8mm turn follower
- 44/57mm backsets
- Polished brass or satin chrome finish forend and striking plate
- Polished stainless steel forend and striking plate available on request



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109126	AR8023-63-5-PB	63mm Bathroom Sashlock 5mm Follower	PB
87109127	AR8023-63-5-SC	63mm Bathroom Sashlock 5mm Follower	SC
87109128	AR8023-76-5-PB	76mm Bathroom Sashlock 5mm Follower	PB
87109129	AR8023-76-5-SC	76mm Bathroom Sashlock 5mm Follower	SC
87109132	AR8023-63-8-PB	63mm Bathroom Sashlock 8mm Follower	PB
87109133	AR8023-63-8-SC	63mm Bathroom Sashlock 8mm Follower	SC
87109130	AR8023-76-8-PB	76mm Bathroom Sashlock 8mm Follower	PB
87109131	AR8023-76-8-SC	76mm Bathroom Sashlock 8mm Follower	SC

ARRONE® Architectural Plus Locks & Latches

ARRONE® Mortice Lock Cases



Bathroom Deadbolts (Square Case)

standards and certification



Manufactured by an ISO 9000 Registered Company



Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door




CE Marked: At the time of going to press this product was undergoing third party independent testing to BS EN12209: 2003, Once this standard is successfully achieved CE certification will be applied for.

features

- For use with Bathroom Indicators & Turns with 5mm spindle
- Brass deadbolt
- 44.5/57/82mm backsets
- Polished brass or stain chrome finish forend and striking plate

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87109138	AR8031-63-PB	63mm Square Case Bathroom Deadbolt	PB
87109139	AR8031-63-SC	63mm Square Case Bathroom Deadbolt	SC
87109140	AR8031-76-PB	76mm Square Case Bathroom Deadbolt	PB
87109141	AR8031-76-SC	76mm Square Case Bathroom Deadbolt	SC
87109142	AR8031-100-PB	100mm Square Case Bathroom Deadbolt	PB
87109143	AR8031-100-SC	100mm Square Case Bathroom Deadbolt	SC



Bathroom Deadbolts (Tubular)

standards and certification



Manufactured by an ISO 9000 Registered Company



Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 30 min & 1 hour fire door



CE Marked: At the time of going to press this product was undergoing third party independent testing to BS EN12209: 2003, Once this standard is successfully achieved CE certification will be applied for.

features

- For use with Bathroom Indicators & Turns with 5mm spindle
- Brass Deadbolt
- 57/82/107mm backsets
- Satin chrome and polished brass finish forends and striking plates supplied with each deadbolt

ID NO	PRODUCT REF	DESCRIPTION	FINISH
87101338	AR8018-76-SC/PB	76mm Heavy Duty Bathroom Deadbolt	SC/PB
87101341	AR8018-100-SC/PB	100mm Heavy Duty Bathroom Deadbolt	SC/PB
87101344	AR8018-128-SC/PB	128mm Heavy Duty Bathroom Deadbolt	SC/PB

ARRONE[®] DIN Standard Architectural Mortice Lock Cases

Euro Profile Mortice Sashlock Cases

standards and certification



Quality & Performance: Successfully type tested to all the requirements of BS EN12209: 2003

3	M	8	1*	0	F	2	B	A	2	0
---	---	---	----	---	---	---	---	---	---	---



Manufactured In Europe by an ISO 9000 Registered Company



Fire Safety: Included in a successful fire test to BS EN1634 Part 1: 2000. For use on a 1 hour fire door



CE Marked: Certificate: 1121-CPD-AG0067




Certifire Approved Product: Certificate CF530



Conformity Statement: Meets the dimensional recommendations of BS8300 and Approved Document "M"

features

- Case – mild steel/black powder coated finish, pierced to accept bolt through furniture and escutcheons with 38mm centres
- Backset – 60mm (other sizes to order)
- Centres – 72mm
- Latchbolt – nickel plated solid brass guided latchbolt, easily reversible without opening case
- Follower – 8mm zinc alloy follower (high copper content for additional strength) with spindle gripping feature
- Deadbolt – zinc alloy single throw with 20mm projection (high copper content for additional strength)
- Forend and striking plates available square or radius
- Suitable for sprung and most unsprung lever furniture
- Satin/polished stainless steel or polished brass forend and striking plate
- 5 year guarantee



ID NO	PRODUCT REF	DESCRIPTION	FINISH
87107853	AR910-S-60-SSS	Mortice Sashlock Case (Square Forend)	SSS
87107854	AR910-S-60-PSS	Mortice Sashlock Case (Square Forend)	PSS
87107855	AR910-S-60-PB	Mortice Sashlock Case (Square Forend)	PB
87107856	AR910-R-60-SSS	Mortice Sashlock Case (Radiused Forend)	SSS
87107857	AR910-R-60-PSS	Mortice Sashlock Case (Radiused Forend)	PSS
87107858	AR910-R-60-PB	Mortice Sashlock Case (Radiused Forend)	PB
87107889	AR91-S-13-SSS	13mm Rebate Set for Square Forend Locks	SSS
87108045	AR91-S-13-PB	13mm Rebate Set for Square Forend Locks	PB

BWS

EURO CYLINDERS

SATIN NICKEL

LK106NP60	60mm SATIN NICKEL DOUBLE EURO CYLINDER
LK106NP70	70mm SATIN NICKEL DOUBLE EURO CYLINDER
LK106NP80	80mm SATIN NICKEL DOUBLE EURO CYLINDER
LK106NP30	30mm SATIN NICKEL DOUBLE EURO CYLINDER
LK106NP40	40mm SATIN NICKEL DOUBLE EURO CYLINDER
LK106NP35	35mm SATIN NICKEL DOUBLE EURO CYLINDER
LK106NP45	45mm SATIN NICKEL DOUBLE EURO CYLINDER
LK102NP70	70mm SATIN NICKEL CYLINDER & TURN
LK102NP80	80mm SATIN NICKEL CYLINDER & TURN
LK112NP45	45mm SATIN NICKEL HALF EURO CYLINDER

BRASS

LK106PB70	70mm BRASS DOUBLE EURO CYLINDER
LK102PB70	70mm BRASS CYLINDER & TURN

BWS MASTER KEYED EURO CYLINDERS

SATIN NICKEL

MK106NP70	70mm SN DOUBLE EURO CYL. UNDER M/KEY
MK102NP70	70mm SN CYLINDER & TURN UNDER M/KEY
MK102NP80	80mm SN CYLINDER & TURN UNDER M/KEY
MK112NP45	45mm SN HALF EURO CYL. UNDER M/KEY

BRASS

MK106PB70	70mm BRASS DOUBLE EURO CYL. UNDER M/KEY
MK102PB80	80mm BRASS CYLINDER & TURN UNDER M/KEY

